

CAT. N° 8 323 50



ROTARY DIMMER SYNERGY - 1 GANG - 2 WAY PUSH SWITCH - SLEEK DESIGN POLISHED STAINLESS STEEL

Pack (number of units)	1
Volume (dm ³)	0,677
Weight (g)	245,00

Product characteristics

Push on/off rotary dimmers 1000 W - 250 V~ - 50/60 Hz

- Conform to BS EN 60669-1
- For flush-mounting back box to be min. 40 mm deep
- 60-1000 W (230 V)
- 60-500 W (127 V) for incandescent and halogen lamps 60-600 VA (230 V)
- 60-300 VA (127 V) for halogen lamps with electronic transformers 60-100 VA (230 V)
- 60-500 VA (127 V) for halogen lamps with ferromagnetic transformers
- Nominal plate dimensions: 86 x 86 mm

1 gang - 2-way push switches

- Polished stainless steel

General characteristics

Synergy™ - single pole switches and dimmers - Sleek Design

- Sleek design
- BSS: Plates made of austenitic Stainless Steel - non-magnetic - grade 304 L
- PSS: Plates made of Stainless Steel + rust resistance
- GG: Plates made of Stainless Steel + rust resistance
- Terminal screws captive and backed off ready for cabling - large angled terminal entries
- Compact mechanism for maximum wiring space

Documentation

Catalogue pages & additional information

- [Description page \(p.590\)](#)

Installation & technical data

- [F02307EN-00](#)

Installation instructions & related documents

- [LE08889AA](#)