

Product datasheet

Specifications



Switched socket with USB charger, AvatarOn, 10A 250V, 1gang, International soc, Dark grey

E8315TSU_DG

Main

Range	AvatarOn
Product or component type	Switched socket with USB charger
Device presentation	Complete mechanism
Socket additional information	Shuttered
Load type	240 V AC

Complementary

Device mounting	Flush 28.5 mm
Switch function	ON/OFF power-socket outlet
Number of power socket outlets	1 x 3P with shutters, universal
Rated current	Power circuit: 10 A 250 V, AC, 50 Hz
Surface finish	Glossy
Surface treatment	Painted
Number of gangs	1 gang
Connector type	USB type A
[Ue] rated operational voltage	250 V AC 50 Hz
Maximum power consumption in W	10.5 W
Integrated connection type	2 USB port 5 V DC, maximum load current: 2.1 A
Material	PC (polycarbonate) 2407 Bayer: grid plate
Protection type	USB port: over temperature protection with PWM IC circuit
Shape of screw head	Cross
Screwdriver shape	Phillips
Electrical connection	3 screw terminal
Clamping connection capacity	1 x 4 mm ² for solid cable(s)
Wire stripping length	10...12 mm
Mounting support	Mounting box conforming to BS 4662
Fixing mode	By screws M3.5 x 25 mm
Fixing center	120.6 mm

Height	147 mm
Width	87 mm
Depth	32 mm
Embedding depth	24 mm
Net weight	0.2 kg

Environment

Operating altitude	<= 2000 m
Ambient air temperature for operation	0...40 °C
Ambient air temperature for storage	-5...60 °C
Relative humidity	0...95 %
Standards	BS 1363-2
Product certifications	IEC
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.06 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	120 g
Unit Type of Package 2	BB1
Number of Units in Package 2	8
Package 2 Height	9.5 cm
Package 2 Width	19 cm
Package 2 Length	19.5 cm
Package 2 Weight	1.06 kg
Unit Type of Package 3	CAR
Number of Units in Package 3	48
Package 3 Height	21.5 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	6.81 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration

RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Recommended replacement(s)