

# Product datasheet

Specifications



## Ultimate - Switched Socket 2 USB charger - 2 gang - 13A - stainless steel - black

Local distributor code: 422321273 GGBGU3424DBSS

EAN Code : 3606489868888

### Main

Range	Ultimate
Aesthetic name	Screwless flat plate
Product or component type	Switched socket with USB charger
Device presentation	Complete product
Device application	USB charger
Colour tint	Front plate: stainless steel Interior: black
Surface finish	Brushed finish
Connections - terminals	Screw terminals
Switch function	2-pole
Rated current	13 A at 220...240 V AC 50/60 Hz

### Complementary

Device mounting	Flush Surface
Outlet standard	BS 1363
Integrated connection type	2 socket-outlet 220...250 V AC 13 A 50/60 Hz 2 USB port 5 V DC 4 A
Actuator	Rocker
Number of gangs	2 gangs
Pilot light	Silver without LED
Fixing mode	2 screw: M3.5 26 mm diameter: 3.5 mm 2 screw: M3.5 32 mm diameter: 3.5 mm
Clamping connection capacity	2 x 6 mm <sup>2</sup> for solid cable(s) 3 x 4 mm <sup>2</sup> for solid cable(s) 5 x 2.5 mm <sup>2</sup> for solid cable(s) 3 x 4 mm <sup>2</sup> for stranded cable(s) 5 x 2.5 mm <sup>2</sup> for stranded cable(s)
Socket additional information	Earthed
Earth circuit	Standard earth
Material	Stainless steel
Product compatibility	Mobile/tablet Apple Mobile/tablet Samsung Mobile/tablet LG Mobile/tablet BlackBerry Mobile/tablet HTC Mobile/tablet Sony

<b>Directives</b>	2014/35/EU - low voltage directive 2014/30/EU - electromagnetic compatibility 2019/1782/EC - ecodesign
<b>Quality labels</b>	CE
<b>Quantity per set</b>	Set of 1
<b>Type of packing</b>	Box
<b>Type of installation</b>	Indoor
<b>Depth</b>	30.5 mm
<b>Width</b>	147.5 mm
<b>Height</b>	87.5 mm
<b>Net weight</b>	0.31 kg

## Environment

<b>IP degree of protection</b>	IP20
<b>Standards</b>	BS 1363-2

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	4.000 cm
<b>Package 1 Width</b>	9.700 cm
<b>Package 1 Length</b>	15.400 cm
<b>Package 1 Weight</b>	353.700 g
<b>Unit Type of Package 2</b>	CAR
<b>Number of Units in Package 2</b>	50
<b>Package 2 Height</b>	17.500 cm
<b>Package 2 Width</b>	43.000 cm
<b>Package 2 Length</b>	50.500 cm
<b>Package 2 Weight</b>	18.166 kg
<b>Unit Type of Package 3</b>	PAL
<b>Number of Units in Package 3</b>	1000
<b>Package 3 Height</b>	104.000 cm
<b>Package 3 Width</b>	120.000 cm
<b>Package 3 Length</b>	100.000 cm
<b>Package 3 Weight</b>	383.314 kg

## Offer Sustainability

<b>Sustainable offer status</b>	Green Premium product
<b>REACH Regulation</b>	<a href="#">REACH Declaration</a>
<b>REACH free of SVHC</b>	Yes
<b>EU RoHS Directive</b>	Compliant <a href="#">EU RoHS Declaration</a>
<b>Mercury free</b>	Yes
<b>China RoHS Regulation</b>	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)

---

RoHS exemption information	<a href="#">Yes</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End of Life Information</a>

---

## Contractual warranty

---

Warranty	18 months
----------	-----------

## Recommended replacement(s)