

# AvatarOn, 2 USB charger + switched socket, 3P, 13A, Dark Grey

E8315USB\_DG\_G12

#### Main

Product or component type	USB charger + switched socket
Fixing mode	By screws

Complementary	
Outlet standard deviation	British
Outlet standard description	With earthing contact
Integrated connection type	2 USB type A 5 V DC 2.1 A 1 socket-outlet 250 V AC 13 A 50/60 Hz
Device mounting	Surface
Device presentation	Complete product
Mounting support	Mounting box
Outlet poles configuration	3P with shutter
Colour tint	Dark grey
Surface finish	Matt
Surface treatment	Untreated
Type of packing	Flow-pack
Quantity per set	Set of 10
Ambient air temperature for storage	-560 °C
Protection type	Current protection Thermal protection
Dielectric strength	2000 V
Ambient air temperature for operation	040 °C
Service life in cycles	5000 cycles
Connections - terminals	Screw terminal
Number of terminals	3
Screwdriver shape	Phillips combined
Number of cables	2
Clamping connection capacity	1.54 mm² for rigid cable(s) 1.54 mm² for stranded cable(s) 1.54 mm² for stranded cable(s)

1.5...4 mm² for flexible cable(s)

Material	PC (polycarbonate): grid plate PC (polycarbonate): surround
Wire stripping length	12 mm
Height	86 mm
Width	86 mm
Depth	38.2 mm
Embedding depth	29.3 mm
Standards	UL 498 UL 94 UL 1310

### **Environment**

IP degree of protection IP20

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.8 cm
Package 1 Width	8.5 cm
Package 1 Length	8.5 cm
Package 1 Weight	109.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19.0 cm
Package 2 Length	19.5 cm
Package 2 Weight	1.09 kg

# Offer Sustainability

<b>.</b>	
Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

### Recommended replacement(s)

Aug 31, 2023